



## DEAD AIR SILENCERS **ACCESSORY FITMENT GUIDE**

Thank you to all of our loyal customers. This guide is here to help familiarize you with the available accessories compatible with your silencer.

While we try to be as thorough as possible, we are always here ready to help. If you require further information or clarification don't hesitate to give us a call at 801-857-4232, or email [info@deadairsilencers.com](mailto:info@deadairsilencers.com)



**DEAD AIR**  
silencers

Rev 12.13.23

# SUPPRESSOR FIREARM APPLICATION & RECOMMENDED MINIMUM BARREL LENGTH

SUPPRESSOR MODEL	HANDGUN				AR-15/SEMI AUTO
	Rimfire	.45 ACP	9mm	PCC Sub-Gun 9mm	5.56/.223
Mask	All				
Odessa 9			All		
Ghost 45		All	All	All	
Wolfman			All	All	All
Wolfman KMOD Kit			All	All	All
Mojave 9			All	All	
Sierra 5					All
Sandman K					All
Sandman S					All
Sandman L					All
Nomad 30					All
Nomad L					All
Nomad Ti					12.5
Nomad LTI					12.5
Wolverine					All
Primal		All	All	All	All

AR-15/SEMI AUTO	AK TYPE	AR-10	BOLT ACTION		
.300 BLK	7.62x39	.308/6.5CM	Up to .300 Norma	Up to .338 Lapua	Big Bore up to .458 Cal
All	All				
All	All				
All					
All	All	All	All		
All	All	All	All		
All	All	All	All		
All	All	All	All		
All	All	All	All		
All	12.5	12.5	12.5		
All	12.5	12.5	12.5		
All	All	All	All		
All	All	All	All	All	All



Model Name	Page #	Materials	Length/ Weight	Full Auto Rated
Mask	6	17-4 PH Stainless Steel Baffles, Titanium 3Al-2.5V Grade 9 Tube	5.1"/6.6oz	Y
Odessa 9	8	4140 Heat Treated Steel / 17-4 PH Stainless Steel	8.25/10.1oz	N
Ghost 45	10	17-4 PH Stainless Steel Baffles, Titanium 3Al-2.5V Grade 9 Tube, 7075 Alu Module	6.2"/9.6oz 8.75"/12oz	Y
Mojave 9	12	6AL-4V DMLS Titanium, 7075 Aluminum, Stainless Steel	5.89"/8.2oz 7.64"/9.6oz	Y (caliber specific)
Wolfman	14	17-4 PH Stainless Steel Fully-Welded Construction	5.13"/9.8oz 9.8"/14.4oz	Y
Wolfman KMQD Kit		17-4 PH Stainless Steel Fully-Welded Construction	6.35"/13.8oz 8.75"/19.2oz	Y
Sierra5XM	16	Cobalt 6 Baffles, 17-4PH Stainless Steel Welded Core, Stainless Steel Tube	5.7"/13.3oz	Y
Sierra5KM			6.2"/15.4oz	Y
Sandman K	18	Cobalt 6 Baffles, 17-4 PH Stainless Steel Welded Core, Stainless Steel Tube	5.4"/12.8oz	Y
Sandman S			6.8"/17.7oz	Y
Sandman L			8.9"/21.8oz	Y
Nomad 30	20	17-4 PH Stainless Steel Fully Welded Construction	6.5"/14.5oz	Y
Nomad L			8.4"/18.3oz	Y
Nomad Ti		Titanium 6Al-4V Grade 5 Fully-Welded Construction	6.5"/9.7oz	N
Nomad Ti XPK Kit		Titanium 6Al-4V Grade 5 Fully-Welded Construction	6.5"/9.7oz	N
Nomad LTi		Titanium 6Al-4V Grade 5 Fully-Welded Construction	8.4"/12.6oz	N
Wolverine	22	Cobalt 6 Baffles, 17-4 PH Stainless Steel Welded Core, Stainless Steel Tube	7.4"/19.8- 24.04oz	Y
Primal	24	17-4 PH Stainless Steel Fully Welded Construction	7.9"/16.5oz	Y

Bore Caliber	Max Muzzle Energy (ft-lbs)	Calibers Rating	Accessories Included
.22 Caliber	850	.22LR, 22MAG, 17HMR, 17WSM to 5.7x28	1/2-28 Direct Thread Mount, Front Cap Tool
9mm	500	22LR, 22MAG, 5.7x28, 32Auto, 9mm	DD440 1/2-28 Odessa Piston, Front Cap Tool, Wrenches
45ACP	850	.380, .357Mag, 9mm, 45ACP, 30 Carbine, 300BLK(Subsonic)	SD500 Booster Assembly (piston required), Front Cap Tool
9mm	1900	9mm, 300BLK Sub (full-auto) 350 Legend, 300BLK Supersonic (semi-auto)	1/2-28 Piston
9mm	2000	.380, .38 Special, 357 Mag, 9mm, .300BLK, 762x39,9x39, .350 Legend	DA410 Direct Thread 1/2-28 Mount, Front Cap Tool, TLPACK
9mm	2000	.380, .38 Special, 357 Mag, 9mm, .300BLK, 762x39, 9x39, .350 Legend	DA109 KeyMount Micro 1/2-28 Brake, DA451 KeyMicro Adapter, DA208 Front Cap Tool, TLPACK
.22 Caliber	2200+	5.56 /.223, .224 Valkyrie	DA121 1/2-28 Xeno FH, FH End Cap, TLPack
.22 Caliber	2200+	5.56 /.223, .224 Valkyrie	DA301 1/2-28 KeyMo FH, FH End Cap, TLPack
.30 Caliber	4200	Up to .300 RUM	DA102 5/8-24 Key Mo Muzzle Brake and Shim Kit
.30 Caliber	4200	Up to .300 RUM	
.30 Caliber	4200	Up to .300 RUM	
.30 Caliber	4400	Up to .300 Norma Mag	LT302 5/8-24 Direct Thread Mount, TLPACK
.30 Caliber	4400	Up to .300 Norma Mag	
.30 Caliber	4400	Up to .300 Norma Mag	LT302 5/8-24 Direct Thread Mount, TLPACK
.30 Caliber	4400	Up to .300 Norma Mag	DA455 Xeno Adapter, DA124 5/8-24 Xeno Mount, KA180 Nomad E-Brake, TLPack
.30 Caliber	4400	Up to .300 Norma Mag	LT302 5/8-24 Direct Thread Mount, TLPACK
.30 Caliber	4200	Up to .300 RUM	WV200 14x1LH Insert & Collar, Wolverine Wrench
.458 Caliber	5100	.458 Caliber -energies up to .338 Lapua	LT302 5/8x-24 Direct Thread Mount, SD502 Hub to P-series Adapter, TLPACK

# MASK



Learn more about the Mask-HD ↑



## MASK



Rating . . . . . Rimfire, 5.7x28, .22 Hornet, .17 Hornet

Dimensions . . . . . 5.1" x 1.07"

Weight . . . . . 6.6 oz

Materials . . . . . Titanium, Stainless Steel



MUZZLE ACCESSORIES	
DA423	1/2-28 Spacer
DA424	Thread Protector, 1/2-28
THREAD ADAPTERS	
DA419	Walther P22 to 1/2-28
DA420	SIG Mosquito to 1/2-28
DA421	GSG 1911 to 1/2-28
DA422	FN 5.7 to 1/2-28



# ODESSA 9




Learn more about the Odessa 9



**ODESSA 9**  
 Rating . . . . .9mm  
 Dimensions . . . . .8.25" (w/piston) / 7.75" (w/out) x 1.1"  
 Weight . . . . .10.1 oz (w/piston & spring) / 7.4 oz (w/out)  
 Materials . . . . .17-4 Stainless Steel


ODESSA FIXED MOUNTS	
DD111	Odessa Fixed Mount 1/2-28, 9mm Bore
DD112	Odessa Fixed Mount M13.5x1LH, 9mm Bore
ODESSA PISTONS	
DD440	Odessa Piston 1/2-28, 9mm Bore
DD441	Odessa Piston M13.5x1LH, 9mm Bore



# GHOST 45

Rev 12.13.23


ACCESSORY FITMENT GUIDE



Flat Front Cap

Wipe Front Cap


**GHOST FRONT CAPS & ACCESSORIES**



Xeno Xero Mount


Xeno P-Series HUB Adapter

**XENO ADAPTER & MOUNTS**




Micro Flash Hider

Micro Brake




Keymicro Adapter


**KEYMICRO ADAPTER & MOUNTS**




P-Series Barrel Spacer




P-Series Pistons



P-Series Booster Assembly



P-Series 3-Lug



P-Series Fixed Mounts

**P-SERIES MOUNTS & ACCESSORIES**

## GHOST 45

Rating . . . . .45 Caliber, 9mm, 300BLK (subsonic)  
 Dimensions . . . . .8.75" x 1.375" (Long) / 6.2" x 1.375" (Short)  
 Weight . . . . .12 oz (Long) / 9.6 oz (Short)  
 Materials . . . . .Stainless Steel, Titanium, Aluminum

### GHOST FRONT CAPS & ACCESSORIES

DA415	Ghost Front Cap 9mm
DA416	Ghost Wipe Long Front Cap 45 ACP
DA417	Ghost Front Cap 45 STD

### KEYMICRO ADAPTER & MOUNTS

DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

### XENO ADAPTER & MOUNTS

DA457	Xeno Adapter (P-Series)
DA128	Xero, 5/8-24, .45 Bore

### P-SERIES FIXED MOUNTS


DA410	P-Series Fixed Mount 1/2-28
DA411	P-Series Fixed Mount 1/2-36
DA412	P-Series Fixed Mount 5/8-24
DA413	P-Series Fixed Mount M18x1
DA414	P-Series Fixed Mount M13.5x1LH, 9mm Bore
DA450	P-Series Fixed Mount .578-28, .45 Bore

### P-SERIES PISTONS


DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore

### P-SERIES ACCESSORIES

DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer




Learn more about the Ghost 45 ↑



**XENO ADAPTER & MOUNTS**

Xeno Mounts

Xeno P-Series Adapter




**KEYMICRO ADAPTER & MOUNTS**

Micro Flash Hider

Micro Brake

Keymicro Adapter



**P-SERIES MOUNTS & ACCESSORIES**


Mojave 9 Pistons

P-Series 3-Lug

P-Series Fixed Mounts

## MOJAVE 9


Rating . . . . .9mm, 300BLK Subsonic (full-auto)  
 . . . . .350 Legend, 300BLK Supersonic (semi-auto)  
 Dimensions . . . . .7.64" x 1.405" (Long) / 5.89" x 1.405" (Short)  
 Weight . . . . .9.6 oz (Long) / 8.2 oz (Short)  
 Materials . . . . .6AL-4V DMLS Ti, 7075 Alum, Stainless Steel






Learn more about the Mojave 9 ↑

KEYMICRO ADAPTER & MOUNTS	
DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
XENO ADAPTER & MOUNTS	
DA457	Xeno Adapter (P-Series)
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore
DA127	Xero, 1/2-28, 9mm Bore
DA128	Xero, 5/8-24, .45 Bore

P-SERIES FIXED MOUNTS	
DA410	P-Series Fixed Mount 1/2-28
DA411	P-Series Fixed Mount 1/2-36
DA412	P-Series Fixed Mount 5/8-24
DA413	P-Series Fixed Mount M18x1
DA414	P-Series Fixed Mount M13.5x1LH, 9mm Bore
DA450	P-Series Fixed Mount .578-28, .45 Bore
MOJAVE 9 PISTONS	
PB440	Mojave 9 Piston 1/2-28, 9mm Bore
PB441	Mojave 9 Piston M13.5x1LH, 9mm Bore
P-SERIES ACCESSORIES	
DA444	P-Series 3 Lug



Perform alignment check



**WOLFMAN**

Rating . . . . .9mm, 5.56, .300BLK, 7.62x39  
Dimensions . . . . .7.8" x 1.618" (Long) / 5.5" x 1.618" (Short)  
Weight. . . . .15.4 oz (Long) / 11 oz (Short)  
Materials . . . . .17-4 Stainless Steel

**R-SERIES FRONT CAPS & ACCESSORIES**

DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore

**KEYMICRO ADAPTER & MOUNTS**


DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

**XENO ADAPTER & MOUNTS**

DA457	Xeno Adapter (P-Series)
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore
DA127	Xero, 1/2-28, 9mm Bore
DA128	Xero, 5/8-24, .45 Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore

**KEYMOUNT FLASH HIDERS**

DA301	Keymount Flash Hider 1/2-28, .22 Bore
DA302	Keymount Flash Hider 5/8-24, .30 Bore
DA303	Keymount Flash Hider M14x1LH, .30 Bore
DA304	Keymount Flash Hider M15x1, .30 Bore
DA305	Keymount Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore



Learn more about the Wolfman ↑

**P-SERIES FIXED MOUNTS**

DA410	P-Series Fixed Mount 1/2-28
DA411	P-Series Fixed Mount 1/2-36
DA412	P-Series Fixed Mount 5/8-24
DA413	P-Series Fixed Mount M18x1
DA414	P-Series Fixed Mount M13.5x1LH, 9mm Bore
DA450	P-Series Fixed Mount .578-28, .45 Bore


**P-SERIES PISTONS**

DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore


**P-SERIES ACCESSORIES**

DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer







Wipe Front Cap



Flash Hider Front Cap




Front Cap




Sandman E-Brake

**R-SERIES FRONT CAPS & ACCESSORIES**




**DIRECT THREAD MOUNTS (HUB)**


Perform alignment check




Xeno Xero




Xeno Wee Brake




Xeno 3-Prong



Xeno A1 Omni Brake




Xeno A1 Flash Hider




Xeno HUB Adapter


**XENO ADAPTER & MOUNTS**




Micro Flash Hider




Micro Brake



Keymount Flash Hider



Keymount Brake



KeyMo HUB Adapter

**KEYMO ADAPTER & MOUNTS**


Rating . . . . .5.56 NATO, 224 Valkyrie  
 Materials . . . . .Cobalt 6 baffles, Stainless Steel



**SIERRA 5 XENO**  
 Dimensions . . . . .5.72" x 1.5" (with Xeno adapter)  
 Weight . . . . .13.3 oz (with Xeno adapter)




**SIERRA 5 KEYMO**  
 Dimensions . . . . .6.27" x 1.5" (with KeyMo adapter)  
 Weight . . . . .15.4 oz (with KeyMo adapter)




R-SERIES FRONT CAPS & ACCESSORIES	
DA442	Sandman E-Brake, .30 Bore
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore
KEYMOUNT ADAPTER & MOUNTS	
DA428	KeyMo HUB Adapter (R-Series)
DA101	Keymount Muzzle Brake 1/2-28, .30 Bore
DA102	Keymount Muzzle Brake 5/8-24, .30 Bore
DA103	Keymount Muzzle Brake 3/4-24, .338 Bore
DA104	Keymount Muzzle Brake M18x1, .338 Bore
DA106	Keymount Muzzle Brake M18x1.5, .338 Bore
DA301	Keymount Flash Hider 1/2-28, .22 Bore
DA302	Keymount Flash Hider 5/8-24, .30 Bore
DA303	Keymount Flash Hider M14x1LH, .30 Bore
DA304	Keymount Flash Hider M15x1, .30 Bore
DA305	Keymount Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore

KEYMOUNT ADAPTER & MOUNTS (CONT'D)	
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
XENO ADAPTER & MOUNTS	
DA455	Xeno Adapter - HUB (R-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA127	Xero, 1/2-28, 9mm Bore
DA128	Xero, 5/8-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, .22 Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore
DIRECT THREAD MOUNTS (HUB)	
LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER



Perform alignment check



Rating ..... Up to .300 RUM  
 Materials ..... Stainless Steel, Cobalt 6




**SANDMAN K**  
 Dimensions ..... 5.4" x 1.5"  
 Weight ..... 12.8 oz



**SANDMAN S**  
 Dimensions ..... 6.8" x 1.5"  
 Weight ..... 17.7 oz




**SANDMAN L**  
 Dimensions ..... 8.9" x 1.5"  
 Weight ..... 21.8 oz




KEYMOUNT ADAPTER & MOUNTS	
DA101	Keymount Muzzle Brake 1/2-28, .30 Bore
DA102	Keymount Muzzle Brake 5/8-24, .30 Bore
DA103	Keymount Muzzle Brake 3/4-24, .338 Bore
DA104	Keymount Muzzle Brake M18x1, .338 Bore
DA106	Keymount Muzzle Brake M18x1.5, .338 Bore
DA301	Keymount Flash Hider 1/2-28, .22 Bore
DA302	Keymount Flash Hider 5/8-24, .30 Bore
DA303	Keymount Flash Hider M14x1LH, .30 Bore
DA304	Keymount Flash Hider M15x1, .30 Bore
DA305	Keymount Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore


KEYMOUNT ADAPTER & MOUNTS (CONT'D)	
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore
R-SERIES FRONT CAPS & ACCESSORIES	
DA442	Sandman E-Brake, .30 Bore
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore




Wipe Front Cap



Flash Hider Front Cap




Front Cap




Nomad E-Brake

**R-SERIES FRONT CAPS & ACCESSORIES**




**DIRECT THREAD MOUNTS (HUB)**


Perform alignment check




Xeno Xero




Xeno Wee Brake




Xeno 3-Prong



Xeno A1 Omni Brake




Xeno A1 Flash Hider




Xeno HUB Adapter


**XENO ADAPTER & MOUNTS**




Micro Flash Hider




Micro Brake



Keymount Flash Hider



Keymount Brake




KeyMo HUB Adapter


**KEYMO ADAPTER & MOUNTS**


Rating .....Up to .300 Norma Mag

 **NOMAD 30**  
 Dimensions ..... 6.5" x 1.735"  
 Weight ..... 14.5 oz  
 Materials ..... 17-4 Stainless Steel

 **NOMAD TI**  
 Dimensions ..... 6.5" x 1.735"  
 Weight ..... 9.8 oz  
 Materials ..... Titanium

 **NOMAD L**  
 Dimensions ..... 8.39" x 1.735"  
 Weight ..... 18.3 oz  
 Materials ..... 17-4 Stainless Steel

 **NOMAD LTI**  
 Dimensions ..... 8.39" x 1.735"  
 Weight ..... 12.6 oz  
 Materials ..... Titanium




R-SERIES FRONT CAPS & ACCESSORIES	
KA180	Nomad E-Brake. .30 Bore
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore

KEYMOUNT ADAPTER & MOUNTS	
DA428	KeyMo HUB Adapter [R-Series]
DA101	Keymount Muzzle Brake 1/2-28, .30 Bore
DA102	Keymount Muzzle Brake 5/8-24, .30 Bore
DA103	Keymount Muzzle Brake 3/4-24, .338 Bore
DA104	Keymount Muzzle Brake M18x1, .338 Bore
DA106	Keymount Muzzle Brake M18x1.5, .338 Bore
DA301	Keymount Flash Hider 1/2-28, .22 Bore
DA302	Keymount Flash Hider 5/8-24, .30 Bore
DA303	Keymount Flash Hider M14x1LH, .30 Bore
DA304	Keymount Flash Hider M15x1, .30 Bore
DA305	Keymount Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore


KEYMOUNT ADAPTER & MOUNTS (CONT'D)	
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

XENO ADAPTER & MOUNTS	
DA455	Xeno Adapter - HUB [R-Series]
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA127	Xero, 1/2-28, 9mm Bore
DA128	Xero, 5/8-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, .22 Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore

DIRECT THREAD MOUNTS (HUB)	
LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER




14mm, 24mm, and 26mm Collars




14mm, 24mm, and 26mm Thread Inserts


**THREAD INSERTS AND COLLARS**




Wipe Front Cap



Flash Hider Front Cap




Front Cap




Sandman E-Brake

**R-SERIES FRONT CAPS & ACCESSORIES**

Perform alignment check




All Xeno Mounts




Xeno HUB Adapter


**XENO ADAPTER & MOUNTS**




**WOLVERINE HUB ADAPTER**




Micro Flash Hider




Micro Brake



Keymount Flash Hider



Keymount Brake



KeyMo HUB Adapter

**KEYMO ADAPTER & MOUNTS**

**WOLVERINE**

Rating . . . . . Up to 7.62x54R

Dimensions . . . . . 7.4" x 1.5" tube/1.93" outside diameter

Weight . . . . . 19.8 oz - 24.4 oz

Materials . . . . . Stainless Steel, Cobalt 6

**WOLVERINE COLLARS AND THREAD INSERTS**

WV101	Collar for M13,M14,M15,M16, 5/8-24, 1/2-28 Inserts
WV111	Collar for M24 Inserts
WV121	Collar for M26 Inserts
WV200	14x1mm LH Insert, .30 Bore
WV201	24mm RH Insert, .30 Bore
WV202	26mm LH w/M26 Collar, .30 Bore
WV203	15mm RH Insert, .30 Bore
WV204	14mm RH Insert, .30 Bore
WV205	1/2-28 Insert, .30 Bore
WV206	5/8-24 Insert, .30 Bore
WV207	13mm RH Insert, .30 Bore
WV208	16mm/RPD Insert, .30 Bore
WV209	24mm RH LONG Insert, .30 Bore
WV210	14x1mm LH LONG Insert, .30 Bore

**R-SERIES FRONT CAPS & ACCESSORIES**


KA180	Nomad E-Brake. .30 Bore (check barrel concentricity)
DA201	Front Cap 5.56 (check barrel concentricity)
DA204	Front Cap 7.62 (check barrel concentricity)
DA205	Front Cap 6.5mm (check barrel concentricity)
DA206	Flash Hider Front Cap 5.56 (check barrel concentricity)
DA207	Flash Hider Front Cap 7.62 (check barrel concentricity)
SD501	Wipe Cap, 9mm Bore

**WOLVERINE HUB ADAPTER**

WV211	Wolverene HUB Adapter + Lock Ring
-------	-----------------------------------

**XENO ADAPTER & MOUNTS**

DA455	Xeno Adapter - HUB (R-Series)
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA127	Xero, 1/2-28, 9mm Bore
DA128	Xero, 5/8-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, .22 Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore



Learn more about the Wolverine PBS-1

**KEYMOUNT ADAPTER & MOUNTS**

DA428	KeyMo HUB Adapter (R-Series)
DA101	Keymount Muzzle Brake 1/2-28, .30 Bore
DA102	Keymount Muzzle Brake 5/8-24, .30 Bore
DA103	Keymount Muzzle Brake 3/4-24, .338 Bore
DA104	Keymount Muzzle Brake M18x1, .338 Bore
DA106	Keymount Muzzle Brake M18x1.5, .338 Bore
DA301	Keymount Flash Hider 1/2-28, .22 Bore
DA302	Keymount Flash Hider 5/8-24, .30 Bore
DA303	Keymount Flash Hider M14x1LH, .30 Bore
DA304	Keymount Flash Hider M15x1, .30 Bore
DA305	Keymount Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	Micro Brake 1/2-28, 9mm Bore
DA110	Micro Brake 1/2-36, 9mm Bore
DA111	Micro Brake 5/8-24, 9mm Bore
DA115	Micro FH 1/2-28, 9mm Bore
DA116	Micro FH 5/8-24, 9mm Bore
DA117	Micro FH M13.5x1LH, 9mm Bore
DA119	Micro FH 1/2-28 SIG TAPER, .22 Bore
DA120	Micro FH 5/8-24 SIG TAPER, .30 Bore

## PRIMAL

Rating . . . . .458 with energies up to .338 Lapua



Dimensions . 7.9" x 1.618"

Weight . . . . 16.4 oz


Materials . . . 17-4 Stainless Steel



Learn more about the Primal ↑




**DIRECT THREAD MOUNTS (HUB)**




**R-SERIES FRONT CAPS & ACCESSORIES**

Perform alignment check



**XENO HUB ADAPTER**

**XENO ADAPTER & MOUNTS**




*All Keymount and Micro Mounts*

**KeyMo HUB ADAPTER**

**KEYMO ADAPTER & MOUNTS**



**HUB TO P-SERIES ADAPTER**



*Keymicro Adapter*

*Xeno P-Series HUB Adapter*

*P-Series 3-Lug*

*P-Series Fixed Mounts*

*P-Series Booster Assembly & Pistons*

**P-SERIES ADAPTERS, MOUNTS, & ACCESSORIES**

### HUB TO P-SERIES ADAPTER

SD502 HUB to P-Series Adapter

### DIRECT THREAD MOUNTS (HUB)

LT301 1/2-28

LT302 5/8-24

LT303 3/4-24

LT304 9/16-24RH

LT305 .578-28

LT306 3/4-20

LT311 M18x1

LT312 M18x1.5 AI

LT313 11/16-24

LT315 5/8-24, SIG TAPER

### R-SERIES FRONT CAPS & ACCESSORIES

DA201 Front Cap 5.56

DA204 Front Cap 7.62

DA205 Front Cap 6.5mm

DA206 Flash Hider Front Cap 5.56

DA207 Flash Hider Front Cap 7.62

SD501 Wipe Cap, 9mm Bore

### KEYMO ADAPTER & MOUNTS

DA428 KeyMo HUB Adapter [R-Series]

DA101 Keymount Muzzle Brake 1/2-28, .30 Bore

DA102 Keymount Muzzle Brake 5/8-24, .30 Bore

DA103 Keymount Muzzle Brake 3/4-24, .338 Bore

DA104 Keymount Muzzle Brake M18x1, .338 Bore

DA106 Keymount Muzzle Brake M18x1.5, .338 Bore

DA301 Keymount Flash Hider 1/2-28, .22 Bore

DA302 Keymount Flash Hider 5/8-24, .30 Bore

DA303 Keymount Flash Hider M14x1LH, .30 Bore

DA304 Keymount Flash Hider M15x1, .30 Bore

DA305 Keymount Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore

DA306 Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore

DA307 Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore

DA308 Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore

DA311 Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore

DA306 Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore

DA307 Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore

DA308 Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore

DA311 Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore

### XENO ADAPTER & MOUNTS

DA455 Xeno Adapter - HUB [R-Series]

DA457 Xeno Adapter [P-Series]

DA121 A1 Flash Hider 1/2-28, .30 Bore

DA122 A1 Flash Hider 5/8-24, .30 Bore

DA123 A1 Omni Brake 1/2-28, .30 Bore

DA124 A1 Omni Brake 5/8-24, .30 Bore

DA127 Xero, 1/2-28, 9mm Bore

DA128 Xero, 5/8-24, .45 Bore

DA129 Xeno 3-Prong, 1/2-28, .22 Bore

DA130 Xeno 3-Prong, 5/8-24, 9mm Bore

### XENO ADAPTER & MOUNTS (CONT'D)

DA125 Xeno Pistol Wee Brake, 1/2-28, 9mm Bore

DA126 Xeno Pistol Wee Brake, 5/8-24, 9mm Bore

DA135 Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore

### KEYMICRO ADAPTER & MOUNTS

DA451 KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)

DA109 Micro Brake 1/2-28, 9mm Bore

DA110 Micro Brake 1/2-36, 9mm Bore

DA111 Micro Brake 5/8-24, 9mm Bore

DA115 Micro FH 1/2-28, 9mm Bore

DA116 Micro FH 5/8-24, 9mm Bore

DA117 Micro FH M13.5x1LH, 9mm Bore

DA119 Micro FH 1/2-28 SIG TAPER, .22 Bore

DA120 Micro FH 5/8-24 SIG TAPER, .30 Bore

DA120 Micro FH 5/8-24 SIG TAPER, .30 Bore

### P-SERIES FIXED MOUNTS

DA410 P-Series Fixed Mount 1/2-28

DA411 P-Series Fixed Mount 1/2-36

DA412 P-Series Fixed Mount 5/8-24

DA413 P-Series Fixed Mount M18x1

DA414 P-Series Fixed Mount M13.5x1LH, 9mm Bore

DA450 P-Series Fixed Mount .578-28, .45 Bore

### P-SERIES PISTONS

DA401 P-Series Piston 1/2-28, 9mm Bore

DA402 P-Series Piston M13.5x1LH, 9mm Bore

DA403 P-Series Piston 9/16-24, .40 Bore

DA404 P-Series Piston M14.5x1LH, .40 Bore

DA405 P-Series Piston .578-28, .45 Bore

DA406 P-Series Piston M16x1LH, .45 Bore

DA407 P-Series Piston M16x1RH, .45 Bore

### P-SERIES ACCESSORIES


DA444 P-Series 3 Lug

SD500 P-Series Booster Assembly


DA409 P-Series Fixed Barrel Spacer




# PYRO 2.0




**PYRO 2.0 SHROUD**



**PYRO 2.0 BLAST SHIELD**



**DIRECT THREAD MOUNTS (HUB)**




Wipe Front Cap

Flash Hider Front Cap

Front Cap

**R-SERIES FRONT CAPS & ACCESSORIES**


Perform alignment check



All Xeno Mounts

Xeno HUB Adapter

**XENO ADAPTER & MOUNTS**



All Keymount and Micro Mounts

KeyMo HUB Adapter

**KEYMO ADAPTER & MOUNTS**

## PYRO 2.0

The Pyro 2.0 is a modular muzzle device. It quickly turns your flash hider into a muzzle brake and attaches with any of our R-Series HUB mounts and adapters. Also available is a blast shield that pushes gasses down range away from the shooting line.

### PYRO

DA202A	Pyro 2.0 Kit - Includes DA428 Keymo & DA204 7.62 Front Cap
DA435	Pyro 2.0 Shroud Only
DA432	Pyro 2.0 Blast Shield

### DIRECT THREAD MOUNTS (HUB)


LT301	1/2-28
LT302	5/8-24
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER

### R-SERIES FRONT CAPS & ACCESSORIES

DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore

### KEYMO ADAPTER & MOUNTS

DA428	KeyMo HUB Adapter [R-Series]
DA101	Keymount Muzzle Brake 1/2-28, .30 Bore
DA102	Keymount Muzzle Brake 5/8-24, .30 Bore
DA103	Keymount Muzzle Brake 3/4-24, .338 Bore
DA104	Keymount Muzzle Brake M18x1, .338 Bore
DA106	Keymount Muzzle Brake M18x1.5, .338 Bore
DA301	Keymount Flash Hider 1/2-28, .22 Bore
DA302	Keymount Flash Hider 5/8-24, .30 Bore
DA303	Keymount Flash Hider M14x1LH, .30 Bore
DA304	Keymount Flash Hider M15x1, .30 Bore
DA305	Keymount Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	Keymount Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	Keymount Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	Keymount Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	Keymount Flash Hider M13x1LH Steyr Aug, .22 Bore



**PYRO 2.0 KIT**  
Includes DA428 Keymo & DA204 7.62 Front Cap

### XENO ADAPTER & MOUNTS

DA455	Xeno Adapter - HUB [R-Series]
DA121	A1 Flash Hider 1/2-28, .30 Bore
DA122	A1 Flash Hider 5/8-24, .30 Bore
DA123	A1 Omni Brake 1/2-28, .30 Bore
DA124	A1 Omni Brake 5/8-24, .30 Bore
DA127	Xero, 1/2-28, 9mm Bore
DA128	Xero, 5/8-24, .45 Bore
DA129	Xeno 3-Prong, 1/2-28, .22 Bore
DA130	Xeno 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno Pistol Wee Brake, M13.5x1LH, 9mm Bore



**DEAD AIR**  
silencers